

<https://doi.org/10.7250/CONNECT.2025.039>

EFFECT OF DRYING TEMPERATURE ON THE ANTHOCYANIN PROFILE OF SELECTED BERRY PRESS RESIDUES


Taisija GRICENKO^{1*}, Alise ZOMMERE², Jorens KVIESIS³, Linards KLAVINS⁴

¹⁻⁴ University of Latvia, Faculty of Science and technologies, Department of Environmental science, Jelgavas iela 1, LV-1004 Riga, Latvia

* **Corresponding author.** Email address: taisija.gricenko@lu.lv

Abstract – Natural pigments as an alternative to synthetic dyes are gaining importance due to the potential health risks associated with synthetic colorants. The research investigates the impact of drying temperature on the total anthocyanin content, total phenolic content, and DPPH activity of various berry press residues. In this study, berry press residue samples were subjected to different drying temperatures (30 °C, 45 °C, 60 °C, 75 °C, and 90 °C) using conventional and vacuum drying methods. The dried samples were subsequently ground and extracted using an acidified ethanol solution. Anthocyanin content was measured via the pH differential method, while total phenolic content and DPPH antioxidant capacity were analysed using spectrophotometric techniques. The total anthocyanin profile of selected berry press residues extracts was measured via UPLC-PDA-UV. The results indicated that drying temperature significantly influenced the stability and retention of anthocyanins in the berry press residues. Lower drying temperatures (30 °C and 45 °C), preserved higher levels of anthocyanins and phenolic compounds, where degradation was more pronounced. The anthocyanin content in bilberries was found to be approximately two times lower at 105 °C compared to 60 °C. The vacuum drying method demonstrated improved pigment retention across all temperature ranges compared to conventional drying. These findings highlight the potential of low-temperature vacuum drying as a preferable method for preserving anthocyanins in berry press residues. The study provides valuable insights for developing stable, natural colorants suitable for various industrial applications. Future research may focus on refining drying parameters and investigating the stability of these natural pigments in finished food products.

Keywords – *Anthocyanins; conventional; pomace; stability; total polyphenols; vacuum drying.*



Temperature and drying method effects on anthocyanin profile of berry press residues

ACKNOWLEDGEMENT

This research was supported by the Latvian Council of Science project “Biorefinery-derived Functional Ingredients for Enhanced Conjugate Stability of Natural Dyes through Co-pigmentation – ChromaQuest” (project Nr. lzp-2024/1-0066).